

TWE-21VRL

HD TVI BULLET VARIFOCAL IR



KEY FEATURES

- 1/2.7" 2.0 Mega Pixels CMOS Sensor
- 2D DNR, AWB, AGC, Smart IR
- ICR, BLC, OSD
- 2.8-12mm
- HD TVI/CVBS 960H Dual output
- 24pcs IR LED up to 35 meter
- Power supply: DC12V
- OSD controlled by TVI DVR
- IP66



SPECIFICATION	TWE-21VRL
Image Sensor	1/2.7" 2.0M CMOS
Signal System	NTSC/PAL
Effective Pixels	1930(H)×1088(V)
Min. Illumination	0.01Lux@F1.2(0Lux IR on)
Scanning System	Progressive
Synchronization	Internal
Frame Rate	50Hz:1080P@25fps (1920×1080)
Video Output	HD-TVI
Electronic Shutter	Rolling shutter
Day&Night	Auto (ICR)
White Balance	Auto
Backlight Compensation	Auto
AGC	Auto
IR LED	Φ8 24pcs LEDES
Lens	2.8-12mm
IR Range	35m
Input Voltage	DC12V
Current	280mA
Power Consumption	<3.5W
Weight	820g
IP Rating	IP66
Operation temperature	-10°C~+50°C
Operation humidity	<85%RH (Non-condensation)



Optional Accessory



IJ-W100E-C

DIMENSIONS

